



**CURRICULUM VITAE ELECTRICAL & INSTRUMENTATION QA/QC INSPECTOR & QA /QC ENGINEER**

**PERSONAL INFORMATION**

Personal details:-

Name	:	Shah Khalid
Father's Name	:	Mohammad khurshidalam
Date of Birth	:	14.02.1977
Place of Birth	:	Ranchi
Gender	:	Male
Nationality	:	Indian
Marital Status	:	Unmarried
Religion	:	Islam (Muslim)
Languages Known	:	English, Hindi & Urdu
Education Qualification	:	S.S.C. Passed 1992
Diploma	:	Electrical & Electronics (1996)
Passport Details	:	Old Passport No
	:	F-3592624(expired)
Date of Issue	:	01.07.2005
2nd new Passport No	:	H 9796197
Date of Issue	:	27.07.2010
Date of Expiry	:	26.07.2020
Place of Issue	:	Ranchi

Permanent Address

Shah Khalid  
S/o – Mohammad khurshidAlam  
H/NO – 1/15 Resaldar Nagar  
Dorand Ranchi 834002  
State –jharkhand (India)  
Telephone no +91-, 9835744426,9279991665

(Abudhabi) mobile no: +971-563148753

**Shah Khalid**

**Mobile No: +91-98357-44426**

**Email: [shhkhalid4@gmail.com](mailto:shhkhalid4@gmail.com) - [Khalidshah12@outlook.com](mailto:Khalidshah12@outlook.com)**

**Skype id: - shahkhalid42**



**Career Brief:** Approx. fourteen & half years of professional experience.

<u>Period gulf experience</u>	<u>Designation</u>	<u>Type of Plant</u>
9 Years	QA/QC ELECTRICAL AND INSTRUMENTATION INSPECTOR	Oil & Gas, Petrochemical & Refinery
½ Year	QA/QC ELECTRICAL AND INSTRUMENTATION ENGINEER	Shut Down in( adco Asab ffd project)

My primary objective is to develop my career, where there is potential, responsibilities which will provide high degree job satisfactions. I am also keen to be part of the development and enhancement of the company to achieve their set goal.

#### **CARREER PROFILE:**

Over 1 years as QC Engineer Results oriented with more than 15 years 6 MONTH hands on experience in QA/QC inspection and Supervision in the Qatar, Saudi Arabia, Kuwait, and Abu Dhabi, India and in India. Having independent handled and successfully completed the project through coordinating trades, building positive report with team members, Sub-contractor, Vendors and Clients.

Jobs undertaken/handled inspection and Supervision in Petrochemical plants, Refinery, Upgrades, shutdown maintenance and new construction activities. I am fully Conversant with the International Code such as NEC NEMA IEEE API BS IEC IS INDIAN STANDARDS ISO 9001-2000 -14000 and Saudi Armco Engineering Standards and Procedures.

In charge of field inspection for final acceptance prior to mechanical completion. MCC certification of instruments as per approved quality control plan and test plan in compliance to project specification and other relevant documents. The above includes instrument bench calibration and functional check of various types of instruments such as FLOW, LEVEL, pressure and temperature. Control valves, Transmitters, PRV and analytical instruments. Work experience of installation wiring and loop checking for DCS, ESD, CRCS, PLC, F&G, and CCTV system.

#### **HIGHEST QUALIFICATION:**

**DIPLOMA. IN ELECTRICAL & ELECTRONIC**

#### **2) Construction**

Construction maintenance annual shutdown turn around, field jobs and in workshop maintenance job and also on fall under my field of activity. With and experience in hand. I can handle any challenging job.



## My Job History:In Abroad:

**COMPANY:** TECNIMONT SAMSUNG JOINT VENTURE **LOCATION:** ABU DHABI

Project Owner Company	Client	Plant Type	Position	Period
ABU DHABI POLYMERS COMPANY ( BOROUGE-3)	TECNIMONT SAMSUNG JOINT VENTURE	LDPE (LOW DENSITY POLYETHYLENE	E&I QA /QC INSPECTOR	05 AUGUST, 2014 TO TILL CONTINUE.
ABU DHABI ONSHORE OIL COMPANY ASAB FILL FIELD BROWN FIELDS	PETROFAC INTERNATIONAL LTD	OIL AND GAS	E&I QA /QC ENGINEER	20 OCT, 2013 TO 25-07-2014

**COMPANY: LOCATION:** PETROFAC INTERNATIONAL LTD **LOCATION:** ABU DHABI

Project Owner Company	Client	Plant Type	Position	Period
ABU DHABI ONSHORE OIL COMPANY ASAB FILL FIELD DEVOLVEMENT PROJECT GREEN FIELDS	PETROFAC INTERNATIONAL LTD	OIL AND GAS	E&I QA /QC INSPECTOR	12 FEB,2012 TO 04-DEC 2012

**COMPANY:**HYUNDAI ENGINEERING CO.LTD & CONSTRUCTION **LOCATION:** SAUDI ARABIA

Project Owner Company	Client	Plant Type	Position	Period
<u>KHURSHANIYA GAS PLANT</u> <u>(SAUDI ARBIA)</u> ARMCO	<u>HYUNDAI</u> <u>ENGINEERING</u> <u>CO.LTD</u>	GAS	E&I QA /QC INSPECTOR	<u>11.11.2010 TO</u> <u>26.11.2011</u>

**Company:LOCATION: COMPANY:**SAIPEM SNAMPROGETTI **LOCATION**SAUDI ARABIA

Project Owner Company	Client	Plant Type	Position	Period
KHURSHANIYA GAS PLANT (SAUDI ARBIA) ARMCO	SAIPEM SNAMPROGETTI S.P.A - ARABIAN CONSTRUCTION CO.	GAS	E&I QA/QC INSPECTOR	07.04.2007 TO 12.05.2010

**COMPANY:**QATAR KENTZ**LOCATION**QATAR

Project	Client	Plant Type	Position	Period
---------	--------	------------	----------	--------



<b>Owner Company</b>				
<b>G.L.T GAS AND LIQUID PROJECT QATAR GAS</b>	<b>C C C</b>	<b>GAS</b>	<b>E&amp;I QA/QC INSPECTOR</b>	<b>07.04.2005 TO 12.03.2007</b>
<b>COMPANY:</b> SAIPEM SNAMPROGETTI S.P.A - ARABIAN CONSTRUCTION CO. <b>LOCATION</b> KUWAIT				
<b>Project Owner Company</b>	<b>Client</b>	<b>Plant Type</b>	<b>Position</b>	<b>Period</b>
<b>KUWAIT OIL COMPANY (KOC )</b>	<b>SAIPEM SNAMPROGETTI</b>	<b>OIL</b>	<b>E&amp;I QA/QC INSPECTOR</b>	<b>07.04.2004 TO 12.03.2005</b>

#### **NATURE OF WORKS**

Prepared and reviewed ITP to encounter Precise Results under the Company's Statement/ standards.  
Responsible to Revise and Incorporate Quality Plan, Upon Client Comments.  
Responsible for Inviting Client/ Company for Inspection under Company Quality Plan and Procedure guideline.  
Daily monitoring the Construction Activities.  
Responsible for the over-all implementation of Quality Control related electrical works accordance with project specifications and Engineering Standards.  
Verify the equipment and devices used in the project meets the required specifications per project requirements, Standard and tested in accordance with the procedures.  
Monitor the Underground installations; check the required burial depth and spacing requirement to adjacent installations, prior to backfilling. Testing of cable meggering and HI – POT test. Inspection of Electrical Equipment function test and Illumination level testing of lighting system.-  
Responsible for preparing request for Approval of Consumable Material's (RAM).  
Responsible for maintaining all Quality Records of Inspection, incorporate Redlines and Closing NCR's.  
Responsible for Preparing LOOP TEST Package.  
Responsible for Preparing of Final Quality Dossier Over Project Competition.  
Assistance to Client for Material Inspection.  
Responsible for Preparing Test Report's upon Inspection Competition.  
Records Routine area Surveillance for Instrument project Scope.  
Witnessed Inspection for Trench Excavation, Cable Laying, IR, Glanding and Termination.  
Witnessed Inspection for Supports, Cable Trays, and Instruments Installation.  
Witnessed Site Inspection for Installation of F&G and PA/GA Instruments like Detectors, Horn, and beacons.  
Witnessed Inspection for Fiber Optic Splicing and OTDR Test.  
Witnessed Installation inspection for Well head RTU's.  
Witnessed Instrument Calibration of process variable instruments.  
Witnessed Panel Installation, Consoles and Computers and printer Installation.  
Witnessed Inspection for Impulse Tubing, and Hydro test for Instrumentation Scope.  
Witnessed Inspection for installation of 11/33/0.415kV transformers, LV/ HV Switchgears, Panels and motors.  
Witnessed HI-POT test for Cables, Switchgears and MCC.  
Witnessed inspection for Installation of Light poles and light fixtures  
Reporting daily inspection progress and issues to the QC manager. Participated in regular meeting with construction team on pre-commissioning and commissioning



Activities as required, Identifies, evaluates, reviews of all inspection and test plans, and quality control procedures

## **JOB DESCRIPTION**

### **Responsibility: for:**

Calibration of pneumatic transmitter electronic transmitter smart transmitter (Honeywell. Rosemount) like PT, FT, TT, LT, DPT, level trol, type of gauge. Controller recorder and repairing of instrument. Over hauling of the pneumatic instrument. Rotating instrument. Inspection of electrical & instrumentation installation Panels Monitoring control panel wiring, Termination, cable routing & cable tray installation. Verify all required inspection report and test records are systematically generated and compiled according to the approved QC Procedures.

Coordinate with Client representatives regarding the implementation and quality of - Insulation Resistance and Winding Resistance Testing of LV, MV motors.

Inspection of Ground Rod and Grounding cable, as per Engineering Specification.

### **INSPECTION : FOR:**

Preparation of Electrical Inspection Reports

QA/QC Inspection witness for cathodic protection system Underground pipe lines and.

Witness for Pre-commissioning of motor Solo Run activities.

Prepare the Motor Solo Run test Package. Witness of Motor Solo Run Test

Provide sufficient feed back to QA/QC Manager on the day to day quality issues.

To supervise and carry out effective implementation of work schedule to clear punch list Conducting Surveillance for Construction Activities and Site Inspection for the following Electrical Activities:

- Preparation of Inspection and Test Plan, Construction Quality Procedure and Method of Statement.-

Preparation and Submittal for RFI.- Review and Inspection of all Electrical Material,

Inspection of materials, pre-fabrication of instrument supports, tray supports and co-ordination with construction team. Witness and Installation and Function check of fire and gas /deluge

System with different types of gas detectors. Fully responsible for calibration, installation, loop checking and commissioning of all types of instruments. Involved testing.prior to Installation.- Daily monitoring the Construction Activities.

Responsible for the over-all implementation of Quality Control related electrical works accordance with project specifications and Engineering Standards.

Etc.As Per International Standards, Specifications, Instrument Calibration Method of Statement & As Per Approved Project Drawings Supervised, Inspected & Witnessed Instrument Cable Duct Bank, Cable Pulling from RIB to J.B & Control Room and conduit, Stanchion of instrument devices, Marshalling Panel, Junction Boxes installation.

Involved in FAT(Factory acceptance test) & SAT(Site acceptance test) Activities

Inspection & Witness of cable mugger & continuity test before Terminating Cable & then Cable

Termination Check to verify exact termination point of each cable core as per Approved wiring Drawing, Core Marker & tightness of cable

All activities during construction and commissioning of switchgear,MCC,power transformer, testing hi-pot test,meggering(I Retesting)of power and control cable and measuring earth resistance test.

Inspection for the Installation of Grounding Cable and Bus bar in the Field and Buildings and Connection to the equipment as per the approved drawing and specification.

Inspection for the Installation of CCTV camera & Speakers in the Electrical Substation SIHs and

Main Control BuildingAlso witness the Electrical HV&MV cable and Fiber Optic cable Splicing as per the approved drawing and Specification

Effectively Co-ordinates with other related disciplines.



Also aware of Safety rules and regulations, Conducted weekly safety Auditing and reporting, participated weekly safety meetings and familiar with all relevant safety induction like 100% Fall Protection, Confined Space Entry and Pre commissioning priority etc.

Review plans and drawings in accordance with specifications, codes and standards. Conduct activities and inspection in accordance to Project Quality Assurance Manual and Quality

Control Inspection Plan. Monitor daily discipline activities and verifies compliance to project procedures, specifications and standards. Identify quality problems, reject non-conforming items and initiate, recommend or provide solutions to the problems with customer sanction / approvals through designated channels. Control further processing of non-conforming items, deficiencies or unsatisfactory conditions until rectification and any remedial action is approved. Conduct random surveillance on operator's qualifications, tools and equipment, working practices as well as storage and preservations. Prepare daily inspection documents and final acceptance documents prior to project completion. Maintain close working relationship with the construction personnel.

Regular surveillance/inspection of construction activities as per project specification

And Inspection test plans.

Assign and monitor respective duties of other QA/QC inspectors.

Store and maintain all quality records.

Co-ordinate with construction personal about ongoing inspection issues.

Regular reporting to QA/QC Manager, discussion with construction manager and / or Project Manager on any major issues which require immediate action.

Ensure proper implementation of ISO 9001.

QC inspection for instrument System as per inspection & test plan, project specification and national electrical code.

Inspection of Cable trays, conduit, instrument, marshalling cabinets, LCP, Distribution Box etc.

Pre-Loop inspection prior to final loop Checking.

All activities during the construction and commissioning of switchgear, MCC, Power Transformer, Testing hi-pot test, Meggering of power and control cables and measuring earth resistance test.

Ensuring all instrument were installed & tested as per project quality procedures & project specification and preparation of J013 forms for instrument installation inspection.

Impulse Tubing and Instrument air line. Responsible for Installation & calibration of instrument, loop-checking, megger and continuity testing of cable. Supervise termination of primary/secondary cable and PLC panel and junction box.

Perform variety of complex inspection function within assigned inspection discipline in addition to providing day to day work directions as required for the inspection of new or existing facilities to check work performed conforms to engineering specifications and/or International standards and monitor the implementation of project Quality Control Program with minimal supervision.

Witnessed Calibration of instrument like pressure, level, temperature, pressure switch, temperature switch control valves I/P converters, limit switch solenoid valves.

*Computer knowledge*

Knowledge QA/ QC

Awareness on Computer Application Software (windows 98, 2007, MS Office, 2003, Word, Excel) etc.

Safety.-

Working under Gts Abu-Dhabi and Saudi Arabia Kuwait KOC Saudi Armco and shell QATAR GAS with world standard health, safety & environment, basis such as using personal protective equipment permit to work system working in hazardous Areas (H<sub>2</sub>S plants) Oil & Gas Facilities. Knowledge of All safety methods. A Behavior of team work working since H<sub>2</sub>S Trained 07-04-2004 to till dated Confined Space Trained

Incident Injury Free (IIF) Trained

Good Communication Skill

Excellent interpersonal relationship.

Positive thinking attitude.

Declaration: declare that the above information is true to the best of my knowledge and belief. I look forward to a favorable reply.



[illegible]



Abu Dhabi Company for Onshore Oil Operations (ADCO)



شركة أبوظبي للعمليات البترولية البرية (أدكو)

Reference : ALC-ED-SB-7118.01-3218

Date : 10<sup>th</sup> January 2012

PETROFAC INTERNATIONAL LIMITED  
P. O. Box 23467 - Sharjah  
U. A. E

Attention : Ayad Chammas  
Project Director

Dear Sir,

**ASAB FULL FIELD DEVELOPMENT PROJECT**  
**CONTRACT No. 7118.01 / EC 10714**

**QC PERSONNEL CV'S**

Reference is made to your letter CLA-ED-SB-7118.01-4058 dated 09<sup>th</sup> January 2012, and the submitted QC personnel CV's.

ADCO has reviewed the CVs and found the followings:

Name	Result
Shah Khalid	Accepted
Mohammad Modassar Mallick	Accepted

Regards,

  
for Giuseppe Cavina  
PMC Project Director

Cc: VP-E&P (SE)  
SPM (AS)  
EM - E&P (SE)





Petrofac Ref: CLA-ED-SB-7118.01-4058  
Date: 9<sup>th</sup> January, 2012

Abu Dhabi Company for Onshore Oil Operations (ADCO),  
P.O.Box 270  
Abu Dhabi

Attention: Mr. Giuseppe Cavina - PMC PD

c.c.: ADCO SPM (A), EM (A), ADCO SPM (SAS), VP-EBP (SE), PMT Secretary

Contract No. 7118.01/EC 10714  
EPC for ASAB FFD Project No: 14333  
Petrofac Project No: JI-193

Subject: QC Personnel CV's

Dear Giuseppe,

With reference to contract requirements (reference Volume II, section 2.2, sub-section 2.3.2) and MTM-ED-SB-7118.01-0064 (draft) dated 10<sup>th</sup> July 2009, ADCO agreement of the following personnel (for whom CVs have been attached) is respectfully requested.

Inspector	Activities/Commodities for which agreement is sought
Shah Khalid	QC Inspector - Electrical
R. Sundara Prakash	Pipes & Piping Bulk at Stockist
Mohammad Modassar Mallick	QC Inspector - Instrumentation

Yours Sincerely,  
For Petrofac International Ltd.

  
Ayad Chammas  
Project Director

☐ For Information  
☐ No Response Requested / Action only  
☒ Response / Action Requested by 16<sup>th</sup> January, 2012

Enclosed: As stated above.

 AS:ss

c.c. (PIL SHJ): AKS/LMS/AS/File

Petrofac International Limited, Petrofac House, Al-Khan Road, PO Box 23467, Sharjah, UAE  
Tel +971 6 574 0999 Fax +971 6 574 0099

Registered in Jersey No SC033 Registered Address: Whiting Crescent, San Roque, St Helier, Jersey JE1 1ND, UK

1 of 1

www.petrofac.com



21 November 2012

**SERVICE CERTIFICATE**

This is to certify that **Khalid Shah**, holder of Indian passport No **H 9796197** was supplied to Petrofac International Ltd - project 193: FFD Asab through the company Dome DZ International from 01/04/2012 until 30/11/2012 with a position of Electrical QC inspector.

We hereby inform that Mr. Khalid Shah has shown utmost dedication during his deployment and performed with satisfaction.

The certificate is issued upon the employee request without any type of commitment or obligation from Petrofac.

Thanking you

Yours faithfully,

  
**Wajdi Saad Eddine**  
**Administration Manager**  






Pearl GTL Project, Qatar

## CERTIFICATE OF RECOGNITION


This certificate is awarded to

**MR. Shah Khalid**

Electrical QA/QC Inspector

in achieving construction progress for JK Electrical & Instrument Team  
and for his continuous dedication and commitment to HSSE.

Given this 20th day of October 2009



  
James Boynton

KBR, Deputy Cons. Manager E & I







## Improving Pearl GTL HSE Culture

This is to certify that

*Mr. Shah Khalid*

has successfully completed

## INTRODUCTION TO FSI, PTW & TSTI



Conducted at the Pearl Village Training Centre  
Ras Laffan, Qatar

*14 November 2009*

Nordine Naji  
Leadership Trainer





# *Certificate for Safety Contribution*

*Awarded To*

**Mr. Shah Khalid**

ELECTRICAL QA/QC INSPECTOR

*In recognition of his support and commitment to  
Health, Safety and Environmental Program of  
Khursaniyah Producing Facilities Project (KPF)  
for his outstanding contribution to the HSE team goals achieved*

*Given this 24<sup>th</sup> of December 2007*

Kingdom of Saudi Arabia

  
FERNANDO ORTIZ  
HSE Manager  
Snamprogetti



Certificate No. : 018595

# State Board Of Technical Education Bihar, Patna



## Certificate

Diploma as awarded to shri..... **SHAH KHALID**  
Board Roll No. : **0104035244**..... who has undergone the prescribed course of Three years  
in **ELECTRICAL ENGINEERING** at **AL -KABIR POLYTECHNIC, JAMSHEDPUR**  
and has passed the Annual / Supplementary Examination ..... **1996** ..... held in the month  
of **JULY - AUG.** ..... and was placed in **First Class with Distinction / First Class.**

*Handwritten signature*

Controller of Examination

*Handwritten signature*

Secretary

*Handwritten signature*

Chairman

Patna, Dated: **21<sup>ST</sup> MAY, 1997**



Embassy of the  
United Arab Emirates  
NEW DELHI  
Consular Section

مستشارية  
الإمارات العربية المتحدة  
نيو دلهي  
القسم القنصلي

No. : 102040 الرقم :

Date: 19 AUG 2013 التاريخ :

نصادق على صحة ختم و توقيع  
We certify the Stamp & Sign. of Ministry of foreign affairs of INDIA  
هذا القنصلية هي المسؤولة عن المصادقة على الختم و التوقيع  
CONSUL



The Ministry of External Affairs  
accepts no responsibility for the  
contents of this document.



16 AUG 2013

दिनांक  
Date

नव सरकार के सचिव/अपर सचिव/उप  
सचिव/अवर सचिव/सहायक सचिव/अनुभाग  
अधिकारी के कनाक्षर सम्पादित किए जाते हैं  
The Signature of Secretary/Additional  
Secretary/Deputy Secretary/Under  
Secretary/Asstt. Secretary/Section  
Officer of State Government Attested

(जार्ज लक्रा)  
(GEORGE LAKRA)  
अनुभाग अधिकारी (ओ.आई.)  
Section Officer (O.I.)  
सी.पी.वी. प्रभाग / C.P.V. Division  
विदेश मंत्रालय, नई दिल्ली  
Ministry of External Affairs  
New Delhi

The Signature of Shri. \_\_\_\_\_  
\_\_\_\_\_ is hereby \_\_\_\_\_  
Home Department  
Government of Maharashtra  
Maharashtra Minister

14 AUG 2013



ATTESTED BY ME  
N.S. BHAISARE  
NOTARY  
14 AUG 2013







# पंजीकरण

विदेशों में रहने वाले भारतीय नागरिकों को सलाह दी जाती है कि वे निवृत्तनाम भारतीय मिशन/कंसुल में अपना पंजीकरण करावाए।

## चेतावनी

यह पासपोर्ट भारत सरकार की संपत्ति है। इस पासपोर्ट के बारे में किसी पासपोर्ट अधिकारी से इसके धारक को यदि कोई सूचना मिलती है जिसमें पासपोर्ट खो जाने की बात भी शामिल है तो उसका तुरंत अनुपालन किया जाए।

यह पासपोर्ट डाक द्वारा किसी भी देश से वापस नहीं आता। यह पासपोर्ट धारक या उसके द्वारा प्राधिकृत व्यक्ति के कब्जे में ही होना चाहिए। इसमें किसी भी प्रकार का परिवर्तन या विकृति नहीं की जानी चाहिए।

पासपोर्ट गुम हो जाने, चोरी हो जाने अथवा नष्ट हो जाने पर उसकी सूचना भारत में सबसे निवृत्तनाम पासपोर्ट अधिकारी को अथवा यदि पासपोर्ट धारक विदेश में है तो निवृत्तनाम भारतीय मिशन/कंसुल और स्थानीय पुलिस को तत्काल दी जानी चाहिए। जिसतुरंत प्राप्त हो जाए ही डुबरीकोड पासपोर्ट जारी किया जाएगा।

## REGISTRATION

INDIAN CITIZENS RESIDENT ABROAD ARE ADVISED TO REGISTER THEMSELVES AT THE NEAREST INDIAN MISSION/POST.

## CAUTION

THIS PASSPORT IS THE PROPERTY OF THE GOVERNMENT OF INDIA. ANY COMMUNICATION RECEIVED BY THE HOLDER FROM A PASSPORT AUTHORITY REGARDING THIS PASSPORT, INCLUDING DEMAND FOR ITS SURRENDER, SHOULD BE COMPLIED WITH IMMEDIATELY.

THIS PASSPORT SHOULD NOT BE SENT OUT OF ANY COUNTRY BY POST. THIS SHOULD BE IN THE CUSTODY EITHER OF THE HOLDER OR OF A PERSON AUTHORIZED BY THE HOLDER. IT MUST NOT BE ALTERED OR MUTILATED IN ANY WAY.

LOSS, THEFT OR DESTRUCTION OF THIS PASSPORT SHOULD BE IMMEDIATELY REPORTED TO THE NEAREST PASSPORT AUTHORITY IN INDIA OR IF THE HOLDER IS ABROAD, TO THE NEAREST INDIAN MISSION/POST AND TO THE LOCAL POLICE. ONLY AFTER EXHAUSTIVE ENQUIRIES SHALL A DUPLICATE PASSPORT BE ISSUED.

36

पिता / कानूनी अभिभावक का नाम / Name of Father / Legal Guardian

KHURSHID ALAM

माता का नाम / Name of Mother

SHANNAZ KHATOON

पति या पत्नी का नाम / Name of Spouse

पता / Address

RESALDAR NAGAR,

PO/PS-DORANDA, RANCHI -834002,

JHARKHAND.

पुराने पासपोर्ट का नं. और इसके जारी होने की तिथि एवं स्थान / Old Passport No. with Date and Place of Issue

F3592624

01/07/2005

RANCHI

फाइल नं. / File No.

RCHD00029510